

# Index to volume 118

## Author index\*

### A

- Abelson M. Parameters for digital imaging: part 2. 2000;118:707-11  
 Abelson MN. Parameters for digital imaging: part 1. 2000;118:580-2  
 Abelson MN (see Halazonetis and Abelson). 2000;118:469-75  
 Aboul-Azm SF (see El-Bialy et al). 2000;118:189-95  
 Ahn J-G, Schneider BJ. Cephalometric appraisal of posttreatment vertical changes in adult orthodontic patients. 2000;118:378-84  
 Akkaya S, Haydar S, Bilir E. Effects of spring-loaded posterior bite-block appliance on masticatory muscles. 2000;118:179-83  
 Alarcón JA, Martín C, Palma JC. Effect of unilateral posterior crossbite on the electromyographic activity of human masticatory muscles. 2000;118:328-34  
 Alarcón JA (see Martín et al). 2000;118:541-8  
 Album B (see Czochrowska et al). 2000;118:592-600  
 Alcalde RE, Jinno T, Orsini MG, Sasaki A, Sugiyama RM, Matsumura T. Soft tissue cephalometric norms in Japanese adults. 2000;118:84-9  
 Anderson AA, Anderson AC, Hornbuckle AC, Hornbuckle K. Biological derivation of a range of cephalometric norms for children of African American descent (after Steiner). 2000;118:90-100  
 Anderson AC (see Anderson et al). 2000;118:90-100  
 Andlin-Sobocki A (see Tang et al). 2000;118:300-6  
 Aunni E (see Harari et al). 2000;118:307-10

### B

- Baccetti T. Tooth anomalies associated with failure of eruption of first and second permanent molars. 2000;118:608-10  
 Baccetti T, Franchi L, McNamara JA Jr. Treatment and posttreatment craniofacial changes after rapid maxillary expansion and facemask therapy. 2000;118:404-13  
 Baccetti T, Franchi L, Toth LR, McNamara JA Jr. Treatment timing for Twin-block therapy. 2000;118:159-70  
 Baccetti T (see Franchi et al). 2000;118:335-40  
 Bacchus SN (see Berger et al). 2000;118:397-403  
 Bartolucci A (see Hall et al). 2000;118:514-25  
 Bays RA (see Rivera et al). 2000;118:134-40  
 Beam W (see Shelley et al). 2000;118:462-6 (Case rep.)  
 Beck FM (see Kim et al). 2000;118:636-40  
 Bell WH (see Del Santo et al). 2000;118:485-93  
 Berger JL, Pangrazio-Kulbersh V, Bacchus SN, Kaczynski R. Stability of bilateral sagittal split ramus osteotomy: rigid fixation versus transosseous wiring. 2000;118:397-403  
 Beshers DN (see Santoro and Beshers). 2000;118:685-92  
 Bilir E (see Akkaya et al). 2000;118:179-83  
 Bilodeau JE. Class III nonsurgical treatment: a case report. 2000;118:560-5 (Case rep.)  
 Bishara SE, VonWald L, Laffoon JF, Jakobsen JR. Effect of altering the type of enamel conditioner on the shear bond strength of a resin-reinforced glass ionomer adhesive. 2000;118:288-94  
 Bishara SE, VonWald L, Laffoon JF, Jakobsen JR. Effect of changing enamel conditioner concentration on the shear bond strength of a resin-modified glass ionomer adhesive. 2000;118:311-6  
 Björkman L (see Tang et al). 2000;118:300-6  
 Blankenau RJ (see Talbot et al). 2000;118:274-9  
 Bottrel JA (see Braun et al). 2000;118:257-61  
 Boyd R (see Yeh et al). 2000;118:421-8  
 Braun S, Bottrel JA, Lee K-G, Lunazzi JJ, Legan HL. The biomechanics of rapid maxillary suture expansion. 2000;118:257-61  
 Braun S, Kim K, Tomazic T, Legan HL. The relationship of the glenoid fossa to the functional occlusal plane. 2000;118:658-61  
 Braun S (see Hnat et al). 2000;118:184-8  
 Brickman CD, Sinha PK, Nanda RS. Evaluation of the Jones jig appliance for distal molar movement. 2000;118:526-34  
 Buschang PH (see Del Santo et al). 2000;118:485-93  
 Buschang PH (see Sankey et al). 2000;118:317-27

\*July, pp. 1-124; August, pp. 125-246; September, pp. 247-364; October, pp. 365-480; November, pp. 481-590; December, pp. 591-730

### C

- Camargo ES (see Medeiros et al). 2000;118:347-51 (Case rep.)  
 Caputo AA (see Matsui et al). 2000;118:171-8  
 Casco J (see Shelley et al). 2000;118:462-6 (Case rep.)  
 Celant S (see Dahan et al). 2000;118:385-91  
 Chaconas SJ (see Matsui et al). 2000;118:171-8  
 Chen Y-T (see Liu et al). 2000;118:535-40  
 Cheng K-S (see Liu et al). 2000;118:535-40  
 Chintanar A (see Hnat et al). 2000;118:184-8  
 Chintanar K, Sampson W, Wilkinson T, Townsend G. A prospective study of Twin-block appliance therapy assessed by magnetic resonance imaging. 2000;118:494-504  
 Chintanar K, Türker KS, Sampson W, Wilkinson T, Townsend G. Effects of Twin-block therapy on protrusive muscle functions. 2000;118:392-6  
 Chrzan JM (see Urcles et al). 2000;118:196-202  
 Chung C-H, Fadem BW, Levitt HL, Mante FK. Effects of two adhesion boosters on the shear bond strength of new and rebonded orthodontic brackets. 2000;118:295-9  
 Coats MJ, Straja SR, Wiser G, Heckman H, Saavedra W, Tuncay OC. Defining characteristics of financially successful orthodontists. 2000;118:18-23 (Special article)  
 Collett AR, Fletcher B. Orthodontic tooth movement after extraction of previously autotransplanted maxillary canines and ridge augmentation. 2000;118:699-704  
 Cowan RG Jr. Treatment of a patient with a Class II malocclusion, impacted cuspid, and severe malalignment. 2000;118:693-8 (Case rep.)  
 Crouse U, Laine-Alava MT, Warren DW. Nasal impairment in prepubertal children. 2000;118:69-74  
 Czochrowska EM, Stenvik A, Album B, Zachrisson BU. Autotransplantation of premolars to replace maxillary incisors: a comparison with natural incisors. 2000;118:592-600

### D

- Dahan JS, Lelong O, Celant S, Leysen V. Oral perception in tongue thrust and other oral habits. 2000;118:385-91  
 Davidovitch Z (see Guajardo et al). 2000;118:210-9  
 Davidson WM (see Manski et al). 2000;118:10-3  
 de Freitas MR (see Janson et al). 2000;118:262-73  
 Del Santo M Jr, Guerrero CA, Buschang PH, English JD, Samchukov ML, Bell WH. Long-term skeletal and dental effects of mandibular symphyseal distraction osteogenesis. 2000;118:485-93  
 de Luca Canto G (see Janson et al). 2000;118:262-73  
 Dobeck J (see Guajardo et al). 2000;118:210-9  
 Dolce C (see Rivera et al). 2000;118:134-40  
 Duggal R (see Reddy et al). 2000;118:641-8

### E

- Eadie RL (see Michelberger et al). 2000;118:662-74  
 Ekstrand J (see Tang et al). 2000;118:300-6  
 El-Bialy T, Aboul-Azm SF, El-Sakhawy M. Study of craniofacial morphology and skeletal maturation in juvenile diabetics (Type I). 2000;118:189-95  
 El-Sakhawy M (see El-Bialy et al). 2000;118:189-95  
 English J (see Sankey et al). 2000;118:317-27  
 English JD (see Del Santo et al). 2000;118:485-93

### F

- Faber J. Tying twin brackets. 2000;118:101-6 (Clin. corner)  
 Fadem BW (see Chung et al). 2000;118:295-9  
 Faulkner MG (see Michelberger et al). 2000;118:662-74  
 Ferro F, Monsurro A, Perillo L. Sagittal and vertical changes after treatment of Class II Division 1 malocclusion according to the Cetlin method. 2000;118:150-8  
 Fletcher B (see Collett and Fletcher). 2000;118:699-704  
 Flynn M (see Meister et al). 2000;118:359-61 (Litigation/legis/ethics)  
 Franchi L, Baccetti T, McNamara JA Jr. Mandibular growth as related to cervical vertebral maturation and body height. 2000;118:335-40  
 Franchi L (see Baccetti et al). 2000;118:159-70  
 Franchi L (see Baccetti et al). 2000;118:404-13  
 Fu M (see Liu et al). 2000;118:248-56

## G

- Ghosh J (see Lai et al). 2000;118:505-13  
 Giddon DB. On "ratings of facial attractiveness after functional appliance treatment". 2000;118:377 (Commentary)  
 Gillis I (see Harari et al). 2000;118:307-10  
 Glover KE (see Michelberger et al). 2000;118:662-74  
 Godfrey K (see Kanchana and Godfrey). 2000;118:280-7  
 Gogen H (see Guajardo et al). 2000;118:210-9  
 Grubb JE. Second opinions, and becoming a care manager. 2000;118:126-33 (Case rep.)  
 Guajardo G, Okamoto Y, Gogen H, Shanfeld JL, Dobeck J, Herring AH, Davidovitch Z. Immunohistochemical localization of epidermal growth factor in cat parodontal tissues during tooth movement. 2000;118:210-9  
 Guerrero CA (see Del Santo et al). 2000;118:485-93

## H

- Haas AJ (see Yavari et al). 2000;118:34-42  
 Hägg U (see Nelson et al). 2000;118:142-9  
 Halazonetis DJ. Advanced PowerPoint animation techniques: part II. 2000;118:236-40  
 Halazonetis DJ, Abelson MN. Digital image processing: how to retouch your clinical photographs. 2000;118:469-75  
 Hall D, Taylor RW, Jacobson A, Sadowsky PL, Bartolucci A. The perception of optimal profile in African Americans versus white Americans as assessed by orthodontists and the lay public. 2000;118:514-25  
 Hamilton EH (see Yavari et al). 2000;118:34-42  
 Han UK (see Kim et al). 2000;118:43-54  
 Hansen K (see Nelson et al). 2000;118:142-9  
 Harari D, Aunni E, Gillis I, Redlich M. A new multipurpose dental adhesive for orthodontic use: an in vitro bond-strength study. 2000;118:307-10  
 Harkness M (see O'Neill et al). 2000;118:371-6  
 Harris EF (see Ross-Powell and Harris). 2000;118:649-57  
 Hatch JP (see Rivera et al). 2000;118:134-40  
 Haydar B (see Taner et al). 2000;118:617-23  
 Haydar S (see Akkaya et al). 2000;118:179-83  
 Heckman H (see Coats et al). 2000;118:18-23 (Special article)  
 Henriques JFC (see Janson et al). 2000;118:262-73  
 Herring AH (see Guajardo et al). 2000;118:210-9  
 Hirose K (see Suda et al). 2000;118:55-62  
 Hiyma S (see Suda et al). 2000;118:55-62  
 Hnat WP, Braun S, Chihara A, Legan HL. The relationship of arch length to alterations in dental arch width. 2000;118:184-8  
 Hornbuckle AC (see Anderson et al). 2000;118:90-100  
 Hornbuckle K (see Anderson et al). 2000;118:90-100  
 Huang X (see Liu et al). 2000;118:248-56

## I

- Ince A (see Ince et al). 2000;118:75-83  
 Ince DO, Ince A, Moore TL. Effect of methotrexate on the temporomandibular joint and facial morphology in juvenile rheumatoid arthritis patients. 2000;118:75-83  
 Isaksson L (see Tang et al). 2000;118:300-6  
 Ishii-Suzuki M (see Suda et al). 2000;118:55-62  
 Ishizuka Y (see Ueda et al). 2000;118:63-8

## J

- Jacobs SG. Radiographic localization of unerupted teeth: further findings about the vertical tube shift method and other localization techniques. 2000;118:439-47  
 Jacobs SG. Radiographic localization of unerupted mandibular anterior teeth. 2000;118:432-8  
 Jacobson A (see Hall et al). 2000;118:514-25  
 Jakobsen JR (see Bishara et al). 2000;118:288-94  
 Jakobsen JR (see Bishara et al). 2000;118:311-6  
 Jakobsen JR (see Law et al). 2000;118:629-35  
 Janson GRP, de Luca Canto G, Martins DR, Henriques JFC, de Freitas MR. A radiographic comparison of apical root resorption after orthodontic treatment with 3 different fixed appliance techniques. 2000;118:262-73  
 Jerrold L. Dental records as evidence. 2000;118:241-2 (Litigation/legis/ethics)  
 Jerrold L. Informed consent and the fourth dimension. 2000;118:476-7 (Litigation/legis/ethics)

- Jerrold L. Perspectives on the dental-legal mindset. 2000;118:361 (Commentary)  
 Jerrold L. Show me the money: a brief history of the expert witness for hire. 2000;118:712-4 (Litigation/legis/ethics)  
 Jiang Y-L. Quality evaluation of orthodontic information on the World Wide Web. 2000;118:4-9  
 Jinno T (see Alcalde et al). 2000;118:84-9  
 Joo BH (see Kim et al). 2000;118:636-40

## K

- Kaczynski R (see Berger et al). 2000;118:397-403  
 Kai H (see Kajiyama and Kai). 2000;118:224-8 (Case rep.)  
 Kajiyama K, Kai H. Esthetic management of an unerupted maxillary central incisor with a closed eruption technique. 2000;118:224-8 (Case rep.)  
 Kajiyama K, Murakami T, Suzuki A. Evaluation of the modified maxillary protractor applied to Class III malocclusion with retruded maxilla in early mixed dentition. 2000;118:549-59  
 Kanchana P, Godfrey K. Calibration of force extension and force degradation characteristics of orthodontic latex elastics. 2000;118:280-7  
 Kavuklu I (see Taner et al). 2000;118:617-23  
 Kharbanda OP (see Reddy et al). 2000;118:641-8  
 Kikuchi K (see Tanaka et al). 2000;118:566-71 (Case rep.)  
 Kim JC, Mascarenhas AK, Joo BH, Vig KWL, Beck FM, Vig PS. Cephalometric variables as predictors of Class II treatment outcome. 2000;118:636-40  
 Kim K (see Braun et al). 2000;118:658-61  
 Kim YH, Han UK, Lim DD, Serrano MLP. Stability of anterior openbite correction with multiloop edgewise archwire therapy: a cephalometric follow-up study. 2000;118:43-54  
 Kirschen RH, O'Higgins EA, Lee RT. The Royal London Space Planning: an integration of space analysis and treatment planning. part I: assessing the space required to meet treatment objectives. 2000;118:448-55  
 Kirschen RH, O'Higgins EA, Lee RT. The Royal London Space Planning: an integration of space analysis and treatment planning. part II: the effect of other treatment procedures on space. 2000;118:456-61  
 Kiyak HA. Patients' own reasons and patient-perceived recommendations for orthognathic surgery. 2000;118:141 (Commentary)  
 Kiyomura H (see Matsui et al). 2000;118:171-8  
 Knight R (see O'Neill et al). 2000;118:371-6  
 Kokich VO Jr. Treatment of a Class I malocclusion with a carious mandibular incisor and no Bolton discrepancy. 2000;118:107-13 (Case rep.)  
 Koochek A-R (see Yeh et al). 2000;118:421-8  
 Korkmaz A (see Taner et al). 2000;118:617-23  
 Kufteine M, Matasa CG. ISO 9002 certification. 2000;118:583-5 (Litigation/legis/ethics)  
 Kurabayashi H (see Saito et al). 2000;118:601-7  
 Kuroda T (see Suda et al). 2000;118:55-62  
 Kusy RP, O'Grady PW. Evaluation of titanium brackets for orthodontic treatment: part II—the active configuration. 2000;118:675-84  
 Kyrkanides S, O'Banion MK, Subtelny JD. Nonsteroidal anti-inflammatory drugs in orthodontic tooth movement: metalloproteinase activity and collagen synthesis by endothelial cells. 2000;118:203-9

## L

- Laffoon JF (see Bishara et al). 2000;118:288-94  
 Laffoon JF (see Bishara et al). 2000;118:311-6  
 Lai J, Ghosh J, Nanda RS. Effects of orthodontic therapy on the facial profile in long and short vertical facial patterns. 2000;118:505-13  
 Laine-Alava MT (see Crouse et al). 2000;118:69-74  
 Langberg BJ, Peck S. Adequacy of maxillary dental arch width in patients with palatally displaced canines. 2000;118:220-3  
 Law AS (see Law et al). 2000;118:629-35  
 Law SLS, Southard KA, Law AS, Logan HL, Jakobsen JR. An evaluation of preoperative ibuprofen for treatment of pain associated with orthodontic separator placement. 2000;118:629-35  
 Lee K-G (see Braun et al). 2000;118:257-61  
 Lee RT (see Kirschen et al). 2000;118:448-55  
 Lee RT (see Kirschen et al). 2000;118:456-61  
 Legan HL (see Braun et al). 2000;118:257-61  
 Legan HL (see Braun et al). 2000;118:658-61  
 Legan HL (see Hnat et al). 2000;118:184-8  
 Lelong O (see Dahan et al). 2000;118:385-91

- Levitt HL (see Chung et al). 2000;118:295-9  
 Leysen V (see Dahan et al). 2000;118:385-91  
 Lim DD (see Kim et al). 2000;118:43-54  
 Lindbäck K-F (see Tang et al). 2000;118:300-6  
 Liu J-K, Chen Y-T, Cheng K-S. Accuracy of computerized automatic identification of cephalometric landmarks. 2000;118:535-40  
 Liu Y, Zeng X, Fu M, Huang X, Lowe AA. Effects of a mandibular repositioner on obstructive sleep apnea. 2000;118:248-56  
 Logan HL (see Law et al). 2000;118:629-35  
 Lohse CM (see Talbot et al). 2000;118:274-9  
 Lowe AA (see Liu et al). 2000;118:248-56  
 Lunazzi JJ (see Braun et al). 2000;118:257-61

## M

- Major PW (see Michelberger et al). 2000;118:662-74  
 Manki RJ, Davidson WM, Moeller JF. Orthodontic dental visits during 1987 and 1996. 2000;118:10-3  
 Mante FK (see Chung et al). 2000;118:295-9  
 Martín C, Alarcón JA, Palma JC. Kinesigraphic study of the mandible in young patients with unilateral posterior crossbite. 2000;118:541-8  
 Martín C (see Alarcón et al). 2000;118:328-34  
 Martínez-Pérez D (see Pereda et al). 2000;118:572-7 (Case rep.)  
 Martins DR (see Janson et al). 2000;118:262-73  
 Mascarenhas AK (see Kim et al). 2000;118:636-40  
 Masella R (see Meister et al). 2000;118:359-61 (Litigation/legis./ethics)  
 Masri N (see Phelps and Masri). 2000;118:429-31  
 Matasa CG (see Kufinec et al). 2000;118:583-5 (Litigation/legis./ethics)  
 Matsui S, Caputo AA, Chaconas SJ, Kiyomura H. Center of resistance of anterior arch segment. 2000;118:171-8  
 Matsumoto Y (see Yoshihara et al). 2000;118:611-6  
 Matsumura T (see Alcarde et al). 2000;118:84-9  
 McCulloch KJ (see Mills and McCulloch). 2000;118:24-33  
 McNamara JA Jr (see Baccetti et al). 2000;118:159-70  
 McNamara JA Jr (see Baccetti et al). 2000;118:404-13  
 McNamara JA Jr (see Franchi et al). 2000;118:335-40  
 Medeiros PJ, Camargo ES, Vitral R, Rocha R. Orthodontic-surgical approach in a case of severe open-bite associated with functional macroglossia. 2000;118:347-51 (Case rep.)  
 Meister M, Masella R, Flynn M. Perspectives on the dental-legal mindset. 2000;118:359-61 (Litigation/legis./ethics)  
 Mergen J (see Shelley et al). 2000;118:462-6 (Case rep.)  
 Michelberger DJ, Eadie RL, Faulkner MG, Glover KE, Prasad NG, Major PW. The friction and wear patterns of orthodontic brackets and archwires in the dry state. 2000;118:662-74  
 Mills CM, McCulloch KJ. Posttreatment changes after successful correction of Class II malocclusions with the Twin Block appliance. 2000;118:24-33  
 Miyamoto K (see Ueda et al). 2000;118:63-8  
 Moeller JF (see Manki et al). 2000;118:10-3  
 Monsuró A (see Ferro et al). 2000;118:150-8  
 Moore TL (see Ince et al). 2000;118:75-83  
 Morohashi T (see Saito et al). 2000;118:601-7  
 Murakami T (see Kajiyama et al). 2000;118:549-59

## N

- Nahm D-S (see Rhee and Nahm). 2000;118:624-8  
 Nanda RS (see Brickman et al). 2000;118:526-34  
 Nanda RS (see Lai et al). 2000;118:505-13  
 Nanda RS (see Villalobos et al). 2000;118:366-70  
 Nelson B, Hansen K, Hägg U. Class II correction in patients treated with Class II elastics and with fixed functional appliances: a comparative study. 2000;118:142-9  
 Ngan P, Yiu C. Evaluation of treatment and posttreatment changes of protraction facemask treatment using PAR index. 2000;118:414-20  
 Norton LA (see Ureles et al). 2000;118:196-202

## O

- O'Banion MK (see Kyrkanides et al). 2000;118:203-9  
 O'Grady PW (see Kusy and O'Grady). 2000;118:675-84  
 Oguchi H (see Yoshihara et al). 2000;118:611-6  
 O'Higgins EA (see Kirschen et al). 2000;118:448-55

- O'Higgins EA (see Kirschen et al). 2000;118:456-61  
 Okamoto Y (see Guajardo et al). 2000;118:210-9  
 O'Neill K, Harkness M, Knight R. Ratings of profile attractiveness after functional appliance treatment. 2000;118:371-6  
 Orsini MG (see Alcarde et al). 2000;118:84-9  
 Owen AH III (see Sankey et al). 2000;118:317-27  
 Ozeki M (see Saito et al). 2000;118:601-7

## P

- Palma JC (see Alarcón et al). 2000;118:328-34  
 Palma JC (see Martín et al). 2000;118:541-8  
 Pangrazio-Kulbersh V (see Berger et al). 2000;118:397-403  
 Parkash H (see Reddy et al). 2000;118:641-8  
 Parks CT (see Shelley et al). 2000;118:462-6 (Case rep.)  
 Peck S (see Langberg and Peck). 2000;118:220-3  
 Pereda J-C, Varela M, Martínez-Pérez D. Preparing a hemimandibulectomy patient for delayed reconstructive surgery. 2000;118:572-7 (Case rep.)  
 Perillo L (see Ferro et al). 2000;118:150-8  
 Perlman SP (see Waldman et al). 2000;118:14-7  
 Phelps AE, Masri N. Location of the apex of the lower central incisor. 2000;118:429-31  
 Prasad NG (see Michelberger et al). 2000;118:662-74

## R

- Rebellato J (see Talbot et al). 2000;118:274-9  
 Reddy P, Kharbada OP, Duggal R, Parkash H. Skeletal and dental changes with nonextraction Begg mechanotherapy in patients with Class II Division I malocclusion. 2000;118:641-8  
 Redlich M (see Harari et al). 2000;118:307-10  
 Regennitter FJ. Powering up your PowerPoint presentations. 2000;118:116-20  
 Rhee S-H, Nahm D-S. Triangular-shaped incisor crowns and crowding. 2000;118:624-8  
 Richmond S (see Yeh et al). 2000;118:421-8  
 Rivera SM, Hatch JP, Dolce C, Bays RA, Van Sickle JE, Rugh JD. Patients' own reasons and patient-perceived recommendations for orthognathic surgery. 2000;118:134-40  
 Rocha R (see Medeiros et al). 2000;118:347-51 (Case rep.)  
 Rosenblum RE, J. Edward Gilda, DDS, MS. 2000;118:121 (In memoriam)  
 Ross-Powell RE, Harris EF. Growth of the anterior dental arch in black American children: a longitudinal study from 3 to 18 years of age. 2000;118:649-57  
 Rossomando EF (see Ureles et al). 2000;118:196-202  
 Rugh JD (see Rivera et al). 2000;118:134-40  
 Russell CM (see Yavari et al). 2000;118:34-42

## S

- Saavedra W (see Coats et al). 2000;118:18-23 (Special article)  
 Sadowsky PL (see Hall et al). 2000;118:514-25  
 Saifuddin MD (see Ueda et al). 2000;118:63-8  
 Saito S, Sugimoto N, Morohashi T, Ozeki M, Kurabayashi H, Shimizu H, Yamasaki K-I, Shiba A, Yamada S, Shibasaki Y. Endosseous titanium implants as anchors for mesiodistal tooth movement in the beagle dog. 2000;118:601-7  
 Samchukov ML (see Del Santo et al). 2000;118:485-93  
 Sampson W (see Chintakanon et al). 2000;118:392-6  
 Sampson W (see Chintakanon et al). 2000;118:494-504  
 Sankey WL, Buschang PH, English J, Owen AH III. Early treatment of vertical skeletal dysplasia: the hyperdivergent phenotype. 2000;118:317-27  
 Santoro M, Beshers DN. Nickel-titanium alloys: stress-related temperature transitional range. 2000;118:685-92  
 Sasaki A (see Alcarde et al). 2000;118:84-9  
 Sasaki A (see Tanaka et al). 2000;118:566-71 (Case rep.)  
 Sato N (see Yoshihara et al). 2000;118:611-6  
 Schneider BJ (see Ahn and Schneider). 2000;118:378-84  
 (see Kufinec et al). 2000;118:583-5 (Litigation/legis./ethics)  
 Serrano MLP (see Kim et al). 2000;118:43-54  
 Shanfield JL (see Guajardo et al). 2000;118:210-9  
 Shelley A, Beam W, Mergen J, Parks CT, Casco J. Asymmetric extraction treatment of an Angle Class II Division 2 subdivision left malocclusion with anterior and posterior crossbites. 2000;118:462-6 (Case rep.)  
 Shiba A (see Saito et al). 2000;118:601-7  
 Shibasaki Y (see Saito et al). 2000;118:601-7

- Shimizu H (see Saito et al). 2000;118:601-7  
 Shrout MK (see Yavari et al). 2000;118:34-42  
 Sinha PK (see Brickman et al). 2000;118:526-34  
 Sinha PK (see Villalobos et al). 2000;118:366-70  
 Southard KA (see Law et al). 2000;118:629-35  
 Stenvik A (see Czochrowska et al). 2000;118:592-600  
 Straja SR (see Coats et al). 2000;118:18-23 (Special article)  
 Subtelny JD (see Kyrkanides et al). 2000;118:203-9  
 Suda N, Ishii-Suzuki M, Hirose K, Hiyama S, Suzuki S, Kuroda T. Effective treatment plan for maxillary protrusion: is the bone age useful to determine the treatment plan? 2000;118:55-62  
 Sugimoto N (see Saito et al). 2000;118:601-7  
 Sugiyama RM (see Alcalde et al). 2000;118:84-9  
 Suzuki A (see Kajiyama et al). 2000;118:549-59  
 Suzuki J (see Yoshihara et al). 2000;118:611-6  
 Suzuki S (see Suda et al). 2000;118:55-62  
 Swartz ML. Managing digital images. 2000;118:354-8  
 Swerdlow M (see Waldman et al). 2000;118:14-7

## T

- Talbot TQ, Blankenau RJ, Zobitz ME, Weaver AL, Lohse CM, Rebellato J. Effect of argon laser irradiation on shear bond strength of orthodontic brackets: an in vitro study. 2000;118:274-9  
 Tanaka E, Kikuchi K, Sasaki A, Tanne K. An adult case of TMJ osteoarthritis treated with splint therapy and the subsequent orthodontic occlusal reconstruction: adaptive change of the condyle during the treatment. 2000;118:566-71 (Case rep.)  
 Taner T, Haydar B, Kavuklu I, Korkmaz A. Short-term effects of fibrotomy on relapse of anterior crowding. 2000;118:617-23  
 Tang ATH, Björkman L, Isaksson L, Lindbäck K-F, Andlin-Sobocki A, Ekstrand J. Retrospective study of orthodontic bonding without liquid resin. 2000;118:300-6  
 Tanne K (see Tanaka et al). 2000;118:566-71 (Case rep.)  
 Tanne K (see Ueda et al). 2000;118:63-8  
 Taylor RW (see Hall et al). 2000;118:514-25  
 Tomazic T (see Braun et al). 2000;118:658-61  
 Toth LR (see Baccetti et al). 2000;118:159-70  
 Townsend G (see Chintakanon et al). 2000;118:392-6  
 Townsend G (see Chintakanon et al). 2000;118:494-504  
 Tuncay OC (see Coats et al). 2000;118:18-23 (Special article)  
 Türker KS (see Chintakanon et al). 2000;118:392-6  
 Turpin DL. Evidence-based orthodontics. 2000;118:591 (Editorial)  
 Turpin DL. From case reports to conflicts of interest. 2000;118:1-3 (Editorial)  
 Turpin DL. Good time for discussion of early treatment. 2000;118:247 (Editorial)  
 Turpin DL. Ideal treatment results require more than good luck. 2000;118:125 (Editorial)  
 Turpin DL. Invited commentaries add value to feature topics. 2000;118:481 (Editorial)  
 Turpin DL. What patients want, and what they need. 2000;118:365 (Editorial)

## U

- Ueda HM, Miyamoto K, Saifuddin MD, Ishizuka Y, Tanne K. Masticatory muscle activity in children and adults with different facial types. 2000;118:63-8  
 Ureles SD, Chiranj JM, Norton LA, Rossomando EF. A role for TNF in bone resorption of deciduous molars in human beings. 2000;118:196-202

## V

- Van Sickels JE. Distraction osteogenesis versus orthognathic surgery. 2000;118:482-4 (Commentary)  
 Van Sickels JE (see Rivera et al). 2000;118:134-40  
 Varela M (see Pereda et al). 2000;118:572-7 (Case rep.)  
 Vaught RA. Treatment of a Class II Division 1 malocclusion. 2000;118:229-33 (Case rep.)  
 Vaught RA. Treatment of a Class II Division 1 malocclusion with a high mandibular angle. 2000;118:341-6 (Case rep.)  
 Vig KWL (see Kim et al). 2000;118:636-40  
 Vig PS (see Kim et al). 2000;118:636-40  
 Villalobos FJ, Sinha PK, Nanda RS. Longitudinal assessment of vertical and sagittal control in the mandibular arch by the mandibular fixed lingual arch. 2000;118:366-70  
 Vitral R (see Medeiros et al). 2000;118:347-51 (Case rep.)  
 Vlaskalic V (see Yeh et al). 2000;118:421-8  
 VonWald L (see Bishara et al). 2000;118:288-94  
 VonWald L (see Bishara et al). 2000;118:311-6

## W

- Waldman HB, Perlman SP, Swerdlow M. Orthodontics and the population with special needs. 2000;118:14-7  
 Warren DW (see Crouse et al). 2000;118:69-74  
 Weaver AL (see Talbot et al). 2000;118:274-9  
 Wilkinson T (see Chintakanon et al). 2000;118:392-6  
 Wilkinson T (see Chintakanon et al). 2000;118:494-504  
 Wiser G (see Coats et al). 2000;118:18-23 (Special article)

## Y

- Yamada S (see Saito et al). 2000;118:601-7  
 Yamasaki K-i (see Saito et al). 2000;118:601-7  
 Yavari J, Shrout MK, Russell CM, Haas AJ, Hamilton EH. Relapse in Angle Class II Division 1 malocclusion treated by tandem mechanics without extraction of permanent teeth: a retrospective analysis. 2000;118:34-42  
 Yeh MS-T, Koochek A-R, Vlaskalic V, Boyd R, Richmond S. The relationship of 2 professional occlusal indexes with patients' perceptions of aesthetics, function, speech, and orthodontic treatment used. 2000;118:421-8  
 Yiu C (see Ngan and Yiu). 2000;118:414-20  
 Yoshihara T, Matsumoto Y, Suzuki J, Sato N, Oguchi H. Effect of serial extraction alone on crowding: spontaneous changes in dentition after serial extraction. 2000;118:611-6

## Z

- Zachrisson BU (see Czochrowska et al). 2000;118:592-600  
 Zeng X (see Liu et al). 2000;118:248-56  
 Zobitz ME (see Talbot et al). 2000;118:274-9

# Subject index\*

## A

### Abnormalities

Tooth anomalies associated with failure of eruption of first and second permanent molars (Baccetti). 2000;118:608-10

### Abstracts

Abstracts. 2000;118:122-3, 243, 362, 478, 586-8, 715

### Adhesives

Effect of altering the type of enamel conditioner on the shear bond strength of a resin-reinforced glass ionomer adhesive (Bishara et al). 2000;118:288-94  
Effect of changing enamel conditioner concentration on the shear bond strength of a resin-modified glass ionomer adhesive (Bishara et al). 2000;118:311-6

Effects of two adhesion boosters on the shear bond strength of new and rebonded orthodontic brackets (Chung et al). 2000;118:295-9

A new multipurpose dental adhesive for orthodontic use: an in vitro bond-strength study (Harari et al). 2000;118:307-10

### Adolescence

Growth of the anterior dental arch in black American children: a longitudinal study from 3 to 18 years of age (Ross-Powell and Harris). 2000;118:649-57  
The relationship of the glenoid fossa to the functional occlusal plane (Braun et al). 2000;118:658-61

### African Americans

Biological derivation of a range of cephalometric norms for children of African American descent (after Steiner) (Anderson et al). 2000;118:90-100  
Growth of the anterior dental arch in black American children: a longitudinal study from 3 to 18 years of age (Ross-Powell and Harris). 2000;118:649-57  
The perception of optimal profile in African Americans versus white Americans as assessed by orthodontists and the lay public (Hall et al). 2000;118:514-25

### Age determination by skeleton

Effective treatment plan for maxillary protraction: is the bone age useful to determine the treatment plan? (Suda et al). 2000;118:55-62  
Treatment timing for Twin-block therapy (Baccetti et al). 2000;118:159-70

### Alloys

Nickel-titanium alloys: stress-related temperature transitional range (Santoro and Beshers). 2000;118:685-92

### Alveolar ridge augmentation

Orthodontic tooth movement after extraction of previously autotransplanted maxillary canines and ridge augmentation (Collett and Fletcher). 2000;118:699-704

### American Association of Orthodontics

Directory: AAO officers and organization. 2000;118:124, 246, 364, 480, 590

### American Journal of Orthodontics and Dentofacial Orthopedics

News, comments, and service announcements. 2000;118:244, 363, 479, 589

### Analgesia

An evaluation of preoperative ibuprofen for treatment of pain associated with orthodontic separator placement (Law et al). 2000;118:629-35

### Angle Class II malocclusion; see Malocclusion, Angle Class II

### Animal models

Endosseous titanium implants as anchors for mesiodistal tooth movement in the beagle dog (Saito et al). 2000;118:601-7  
Immunohistochemical localization of epidermal growth factor in cat parodontal tissues during tooth movement (Guajardo et al). 2000;118:210-9

### Anti-inflammatory agents, non-steroidal

Nonsteroidal anti-inflammatory drugs in orthodontic tooth movement: metalloproteinase activity and collagen synthesis by endothelial cells (Kyrkanides et al). 2000;118:203-9

### Argon

Effect of argon laser irradiation on shear bond strength of orthodontic brackets: an in vitro study (Talbot et al). 2000;118:274-9

### Arthritis, juvenile rheumatoid

Effect of methotrexate on the temporomandibular joint and facial mor-

phology in juvenile rheumatoid arthritis patients (Ince et al). 2000;118:75-83

### Autotransplant; see Transplantation, autologous

## B

### Begg technique

Skeletal and dental changes with nonextraction Begg mechanotherapy in patients with Class II Division I malocclusion (Reddy et al). 2000;118:641-8

### Bicuspid; see Premolar

### Biomechanics

The biomechanics of rapid maxillary sutural expansion (Braun et al). 2000;118:257-61

### Body height

Mandibular growth as related to cervical vertebral maturation and body height (Franchi et al). 2000;118:335-40

### Bond strength

Effect of altering the type of enamel conditioner on the shear bond strength of a resin-reinforced glass ionomer adhesive (Bishara et al). 2000;118:288-94

Effect of argon laser irradiation on shear bond strength of orthodontic brackets: an in vitro study (Talbot et al). 2000;118:274-9

Effect of changing enamel conditioner concentration on the shear bond strength of a resin-modified glass ionomer adhesive (Bishara et al). 2000;118:311-6

Effects of two adhesion boosters on the shear bond strength of new and rebonded orthodontic brackets (Chung et al). 2000;118:295-9

A new multipurpose dental adhesive for orthodontic use: an in vitro bond-strength study (Harari et al). 2000;118:307-10

### Bonding

Retrospective study of orthodontic bonding without liquid resin (Tang et al). 2000;118:300-6

### Bone age measurement; see Age determination by skeleton

### Bone and bones

Long-term skeletal and dental effects of mandibular symphyseal distraction osteogenesis (Del Santo et al). 2000;118:485-93

### Bone and bones, growth and development

Effects of spring-loaded posterior bite-block appliance on masticatory muscles (Akkaya et al). 2000;118:179-83

Mandibular growth as related to cervical vertebral maturation and body height (Franchi et al). 2000;118:335-40

The relationship of the glenoid fossa to the functional occlusal plane (Braun et al). 2000;118:658-61

Skeletal and dental changes with nonextraction Begg mechanotherapy in patients with Class II Division I malocclusion (Reddy et al). 2000;118:641-8

Study of craniofacial morphology and skeletal maturation in juvenile diabetics (Type I) (El-Bialy et al). 2000;118:189-95

### Bone diseases, developmental

Early treatment of vertical skeletal dysplasia: the hyperdivergent phenotype (Sankey et al). 2000;118:317-27

### Bone resorption

A role for TNF in bone resorption of deciduous molars in human beings (Ureles et al). 2000;118:196-202

## C

### Calibration

Calibration of force extension and force degradation characteristics of orthodontic latex elastics (Kanchana and Godfrey). 2000;118:280-7

### Canine tooth

Adequacy of maxillary dental arch width in patients with palatally displaced canines (Langberg and Peck). 2000;118:220-3

Orthodontic tooth movement after extraction of previously autotransplanted maxillary canines and ridge augmentation (Collett and Fletcher). 2000;118:699-704

Treatment of a patient with a Class II malocclusion, impacted cuspid, and severe malalignment (Cowan). 2000;118:693-8 (Case rep.)

\*July, pp. 1-124; August, pp. 125-246; September, pp. 247-364; October, pp. 365-480; November, pp. 481-590; December, pp. 591-730



**Case reports**

- Case reports. 2000;118:107-13, 126-33, 224-35, 347-51, 462-6, 560-77  
From case reports to conflicts of interest (Turpin). 2000;118:1-3 (Editorial)

**Cats**

- Immunohistochemical localization of epidermal growth factor in cat parodontal tissues during tooth movement (Guajardo et al). 2000;118:210-9

**Center of resistance**

- Center of resistance of anterior arch segment (Matsui et al). 2000;118:171-8

**Cephalometry**

- Accuracy of computerized automatic identification of cephalometric landmarks (Liu et al). 2000;118:535-40  
Biological derivation of a range of cephalometric norms for children of African American descent (after Steiner) (Anderson et al). 2000;118:90-100  
Cephalometric appraisal of posttreatment vertical changes in adult orthodontic patients (Ahn and Schneider). 2000;118:378-84  
Cephalometric variables as predictors of Class II treatment outcome (Kim et al). 2000;118:636-40  
Skeletal and dental changes with nonextraction Begg mechanotherapy in patients with Class II Division 1 malocclusion (Reddy et al). 2000;118:641-8  
Soft tissue cephalometric norms in Japanese adults (Alcalde et al). 2000;118:84-9  
Stability of anterior openbite correction with multiloop edgewise archwire therapy: a cephalometric follow-up study (Kim et al). 2000;118:43-54

**Certification**

- ISO 9002 certification (Kufnec et al). 2000;118:583-5 (Litigation/legis/ethics)

**Cetlin therapy**

- Sagittal and vertical changes after treatment of Class II Division 1 malocclusion according to the Cetlin method (Ferro et al). 2000;118:150-8

**Child**

- Biological derivation of a range of cephalometric norms for children of African American descent (after Steiner) (Anderson et al). 2000;118:90-100  
Effect of methotrexate on the temporomandibular joint and facial morphology in juvenile rheumatoid arthritis patients (Ince et al). 2000;118:75-83  
Effects of spring-loaded posterior bite-block appliance on masticatory muscles (Akkaya et al). 2000;118:179-83  
Growth of the anterior dental arch in black American children: a longitudinal study from 3 to 18 years of age (Ross-Powell and Harris). 2000;118:649-57  
Kinesiographic study of the mandible in young patients with unilateral posterior crossbite (Martín et al). 2000;118:541-8  
Masticatory muscle activity in children and adults with different facial types (Ueda et al). 2000;118:63-8  
Nasal impairment in prepubertal children (Crouse et al). 2000;118:69-74  
The relationship of the glenoid fossa to the functional occlusal plane (Braun et al). 2000;118:658-61  
Skeletal and dental changes with nonextraction Begg mechanotherapy in patients with Class II Division 1 malocclusion (Reddy et al). 2000;118:641-8

**Class II malocclusion; see Malocclusion, Angle Class II****Collagen**

- Nonsteroidal anti-inflammatory drugs in orthodontic tooth movement: metalloproteinase activity and collagen synthesis by endothelial cells (Kyrkanides et al). 2000;118:203-9

**Commentary**

- Distraction osteogenesis versus orthognathic surgery (Van Sickels). 2000;118:482-4  
Invited commentaries add value to feature topics (Turpin). 2000;118:481 (Editorial)  
Patients' own reasons and patient-perceived recommendations for orthognathic surgery (Kiyak). 2000;118:141  
Perspectives on the dental-legal mindset (Jerrold). 2000;118:361  
On "ratings of facial attractiveness after functional appliance treatment" (Giddon). 2000;118:377

**Computers**

- Accuracy of computerized automatic identification of cephalometric landmarks (Liu et al). 2000;118:535-40  
Advanced PowerPoint animation techniques: part II (Halazonetis). 2000;118:236-40

- Digital image processing: how to retouch your clinical photographs (Halazonetis and Abelson). 2000;118:469-75  
Managing digital images (Swartz). 2000;118:354-8

- Powering up your PowerPoint presentations (Regennitter). 2000;118:116-20

**Conditioners**

- Effect of altering the type of enamel conditioner on the shear bond strength of a resin-reinforced glass ionomer adhesive (Bishara et al). 2000;118:288-94  
Effect of changing enamel conditioner concentration on the shear bond strength of a resin-modified glass ionomer adhesive (Bishara et al). 2000;118:311-6

**Conflict of interest**

- From case reports to conflicts of interest (Turpin). 2000;118:1-3 (Editorial)

**Corrections**

- An evaluation of the shape of some popular nickel titanium alloy preformed arch wires (Braun et al) (1999;116:1-12). 2000;118:195

**Craniofacial characteristics**

- Treatment and posttreatment craniofacial changes after rapid maxillary expansion and facemask therapy (Baccetti et al). 2000;118:404-13

**Craniofacial growth and development**

- Effects of spring-loaded posterior bite-block appliance on masticatory muscles (Akkaya et al). 2000;118:179-83  
Skeletal and dental changes with nonextraction Begg mechanotherapy in patients with Class II Division 1 malocclusion (Reddy et al). 2000;118:641-8

**Craniofacial morphology**

- Study of craniofacial morphology and skeletal maturation in juvenile diabetes (Type I) (El-Bialy et al). 2000;118:189-95

**Craniofacial disorders**

- An adult case of TMJ osteoarthritis treated with splint therapy and the subsequent orthodontic occlusal reconstruction: adaptive change of the condyle during the treatment (Tanaka et al). 2000;118:566-71 (Case rep.)  
A prospective study of Twin-block appliance therapy assessed by magnetic resonance imaging (Chintakanon et al). 2000;118:494-504

**Crossbite**

- Asymmetric extraction treatment of an Angle Class II Division 2 subdivision left malocclusion with anterior and posterior crossbites (Shelley et al). 2000;118:462-6 (Case rep.)  
Effect of unilateral posterior crossbite on the electromyographic activity of human masticatory muscles (Alarcón et al). 2000;118:328-34  
Kinesiographic study of the mandible in young patients with unilateral posterior crossbite (Martín et al). 2000;118:541-8

**Crowding; see Malocclusion****Crowns**

- Triangular-shaped incisor crowns and crowding (Rhee and Nahm). 2000;118:624-8

**Cuspid; see Canine tooth****D****Debonding**

- A new multipurpose dental adhesive for orthodontic use: an in vitro bond-strength study (Harari et al). 2000;118:307-10

**Deciduous tooth; see Tooth, deciduous****Decision making**

- Patients' own reasons and patient-perceived recommendations for orthognathic surgery (Kiyak). 2000;118:141 (Commentary)  
Patients' own reasons and patient-perceived recommendations for orthognathic surgery (Rivera et al). 2000;118:134-40

**Dental arch**

- Adequacy of maxillary dental arch width in patients with palatally displaced canines (Langberg and Peck). 2000;118:220-3  
Center of resistance of anterior arch segment (Matsui et al). 2000;118:171-8  
The friction and wear patterns of orthodontic brackets and archwires in the dry state (Michelberger et al). 2000;118:662-74  
Growth of the anterior dental arch in black American children: a longitudinal study from 3 to 18 years of age (Ross-Powell and Harris). 2000;118:649-57  
Longitudinal assessment of vertical and sagittal control in the mandibular arch by the mandibular fixed lingual arch (Villalobos et al). 2000;118:366-70  
The relationship of arch length to alterations in dental arch width (Hnat et al). 2000;118:184-8

- Stability of anterior openbite correction with multiloop edgewise archwire therapy: a cephalometric follow-up study (Kim et al). 2000;118:43-54
- Triangular-shaped incisor crowns and crowding (Rhee and Nahm). 2000;118:624-8
- Tying twin brackets (Faber). 2000;118:101-6 (Clin. corner)
- Dental care for disabled**
- Orthodontics and the population with special needs (Waldman et al). 2000;118:14-7
- Dental caries**
- Treatment of a Class I malocclusion with a carious mandibular incisor and no Bolton discrepancy (Kokich). 2000;118:107-13 (Case rep.)
- Dental records**
- Dental records as evidence (Jerrold). 2000;118:241-2 (Litigation/legis/ethics)
- Dentition, mixed**
- Evaluation of the modified maxillary protractor applied to Class III malocclusion with retruded maxilla in early mixed dentition (Kajiyama et al). 2000;118:549-59
- Developmental disability**
- Orthodontics and the population with special needs (Waldman et al). 2000;118:14-7
- Diabetes mellitus, insulin-dependent**
- Study of craniofacial morphology and skeletal maturation in juvenile diabetes (Type I) (El-Bialy et al). 2000;118:189-95
- Diagnostic imaging**
- Parameters for digital imaging: part I (Abelson). 2000;118:580-2
- Parameters for digital imaging: part II (Abelson). 2000;118:707-11
- Disabled**
- Orthodontics and the population with special needs (Waldman et al). 2000;118:14-7
- Dogs**
- Endosseous titanium implants as anchors for mesiodistal tooth movement in the beagle dog (Saito et al). 2000;118:601-7
- E**
- Early treatment**
- Early treatment of vertical skeletal dysplasia: the hyperdivergent phenotype (Sankey et al). 2000;118:317-27
- Good time for discussion of early treatment (Turpin). 2000;118:247 (Editorial)
- Editorials**
- From case reports to conflicts of interest (Turpin). 2000;118:1-3
- Evidence-based orthodontics (Turpin). 2000;118:591
- Good time for discussion of early treatment (Turpin). 2000;118:247
- Ideal treatment results require more than good luck (Turpin). 2000;118:125
- Invited commentaries add value to feature topics (Turpin). 2000;118:481
- What patients want, and what they need (Turpin). 2000;118:365
- Elastics**
- Calibration of force extension and force degradation characteristics of orthodontic latex elastics (Kanchana and Godfrey). 2000;118:280-7
- Class II correction in patients treated with Class II elastics and with fixed functional appliances: a comparative study (Nelson et al). 2000;118:142-9
- Electromyography**
- Effect of unilateral posterior crossbite on the electromyographic activity of human masticatory muscles (Alarcón et al). 2000;118:328-34
- Enamel**
- Effect of altering the type of enamel conditioner on the shear bond strength of a resin-reinforced glass ionomer adhesive (Bishara et al). 2000;118:288-94
- Effect of changing enamel conditioner concentration on the shear bond strength of a resin-modified glass ionomer adhesive (Bishara et al). 2000;118:311-6
- Endothelium**
- Nonsteroidal anti-inflammatory drugs in orthodontic tooth movement: metalloproteinase activity and collagen synthesis by endothelial cells (Kyrkanides et al). 2000;118:203-9
- Epidermal growth factor-urogastrone**
- Immunohistochemical localization of epidermal growth factor in cat parodontal tissues during tooth movement (Guajardo et al). 2000;118:210-9
- Esthetics**
- Effects of orthodontic therapy on the facial profile in long and short vertical facial patterns (Lai et al). 2000;118:505-13
- Esthetic management of an unerupted maxillary central incisor with a closed eruption technique (Kajiyama and Kai). 2000;118:224-8 (Case rep.)
- The perception of optimal profile in African Americans versus white Americans as assessed by orthodontists and the lay public (Hall et al). 2000;118:514-25
- On "ratings of facial attractiveness after functional appliance treatment" (Giddon). 2000;118:377 (Commentary)
- Ratings of profile attractiveness after functional appliance treatment (O'Neill et al). 2000;118:371-6
- The relationship of 2 professional occlusal indexes with patients' perceptions of aesthetics, function, speech, and orthodontic treatment used (Yeh et al). 2000;118:421-8
- Short-term effects of fibrotomy on relapse of anterior crowding (Taner et al). 2000;118:617-23
- Extraoral traction appliances**
- Evaluation of the Jones jig appliance for distal molar movement (Brickman et al). 2000;118:526-34
- Sagittal and vertical changes after treatment of Class II Division 1 malocclusion according to the Cetlin method (Ferro et al). 2000;118:150-8
- F**
- Face**
- Cephalometric appraisal of posttreatment vertical changes in adult orthodontic patients (Ahn and Schneider). 2000;118:378-84
- Effect of methotrexate on the temporomandibular joint and facial morphology in juvenile rheumatoid arthritis patients (Ince et al). 2000;118:75-83
- Effects of orthodontic therapy on the facial profile in long and short vertical facial patterns (Lai et al). 2000;118:505-13
- Masticatory muscle activity in children and adults with different facial types (Ueda et al). 2000;118:63-8
- Facemask therapy**
- Evaluation of treatment and posttreatment changes of protraction facemask treatment using PAR index (Ngan and Yiu). 2000;118:414-20
- Treatment and posttreatment craniofacial changes after rapid maxillary expansion and facemask therapy (Baccetti et al). 2000;118:404-13
- Fibrotomy**
- Short-term effects of fibrotomy on relapse of anterior crowding (Taner et al). 2000;118:617-23
- Financial management**
- Defining characteristics of financially successful orthodontists (Coats et al). 2000;118:18-23 (Special article)
- Forecasting**
- The relationship of arch length to alterations in dental arch width (Hnat et al). 2000;118:184-8
- Friction**
- Evaluation of titanium brackets for orthodontic treatment: part II—the active configuration (Kusy and O'Grady). 2000;118:675-84
- The friction and wear patterns of orthodontic brackets and archwires in the dry state (Michelberger et al). 2000;118:662-74
- Functional appliances; see Orthodontic appliances**
- Functional occlusal plane; see Occlusion**
- G**
- Gilda, J. Edward**
- J. Edward Gilda, DDS, MS (Rosenblum). 2000;118:121 (In memoriam)
- Gingival recession**
- Esthetic management of an unerupted maxillary central incisor with a closed eruption technique (Kajiyama and Kai). 2000;118:224-8 (Case rep.)
- Glass ionomer cements**
- Effect of altering the type of enamel conditioner on the shear bond strength of a resin-reinforced glass ionomer adhesive (Bishara et al). 2000;118:288-94
- Effect of changing enamel conditioner concentration on the shear bond strength of a resin-modified glass ionomer adhesive (Bishara et al). 2000;118:311-6
- Glenoid fossa**
- The relationship of the glenoid fossa to the functional occlusal plane (Braun et al). 2000;118:658-61
- Growth and development**
- Effects of spring-loaded posterior bite-block appliance on masticatory muscles (Akkaya et al). 2000;118:179-83

- Growth of the anterior dental arch in black American children: a longitudinal study from 3 to 18 years of age (Ross-Powell and Harris). 2000;118:649-57
- Mandibular growth as related to cervical vertebral maturation and body height (Franchi et al). 2000;118:335-40
- The relationship of the glenoid fossa to the functional occlusal plane (Braun et al). 2000;118:658-61
- Skeletal and dental changes with nonextraction Begg mechanotherapy in patients with Class II Division 1 malocclusion (Reddy et al). 2000;118:641-8
- Study of craniofacial morphology and skeletal maturation in juvenile diabetes (Type I) (El-Bialy et al). 2000;118:189-95
- H**
- Habits**  
Oral perception in tongue thrust and other oral habits (Dahan et al). 2000;118:385-91
- Headgear; see Extraoral traction appliances**
- Hemimandibulectomy**  
Preparing a hemimandibulectomy patient for delayed reconstructive surgery (Pereda et al). 2000;118:572-7 (Case rep.)
- Herbst appliance; see Orthodontic appliances**
- I**
- Ibuprofen**  
An evaluation of preoperative ibuprofen for treatment of pain associated with orthodontic separator placement (Law et al). 2000;118:629-35
- Immunohistochemistry**  
Immunohistochemical localization of epidermal growth factor in cat parodontal tissues during tooth movement (Guajardo et al). 2000;118:210-9
- Implantation, endosseous**  
Endosseous titanium implants as anchors for mesiodistal tooth movement in the beagle dog (Saito et al). 2000;118:601-7
- In memoriam**  
J. Edward Gilda, DDS, MS (Rosenblum). 2000;118:121
- Incisor**  
Autotransplantation of premolars to replace maxillary incisors: a comparison with natural incisors (Czochrowska et al). 2000;118:592-600  
Esthetic management of an unerupted maxillary central incisor with a closed eruption technique (Kajiyama and Kai). 2000;118:224-8 (Case rep.)  
Evaluation of the Jones jig appliance for distal molar movement (Brickman et al). 2000;118:526-34  
Location of the apex of the lower central incisor (Phelps and Masri). 2000;118:429-31  
Short-term effects of fibrotomy on relapse of anterior crowding (Taner et al). 2000;118:617-23  
Treatment of a Class I malocclusion with a carious mandibular incisor and no Bolton discrepancy (Kokich). 2000;118:107-13 (Case rep.)  
Triangular-shaped incisor crowns and crowding (Rhee and Nahm). 2000;118:624-8
- Information systems**  
Quality evaluation of orthodontic information on the World Wide Web (Jiang). 2000;118:4-9
- Informed consent**  
Informed consent and the fourth dimension (Jerrold). 2000;118:476-7 (Litigation/legis/ethics)
- Internet**  
Quality evaluation of orthodontic information on the World Wide Web (Jiang). 2000;118:4-9
- J**
- Japanese adults**  
Soft tissue cephalometric norms in Japanese adults (Alcalde et al). 2000;118:84-9
- Jurisprudence**  
Dental records as evidence (Jerrold). 2000;118:241-2 (Litigation/legis/ethics)  
Informed consent and the fourth dimension (Jerrold). 2000;118:476-7 (Litigation/legis/ethics)  
ISO 9002 certification (Kufinec et al). 2000;118:583-5 (Litigation/legis/ethics)
- Perspectives on the dental-legal mindset (Jerrold). 2000;118:361 (Commentary)
- Perspectives on the dental-legal mindset (Meister et al). 2000;118:359-61 (Litigation/legis/ethics)
- Show me the money: a brief history of the expert witness for hire (Jerrold). 2000;118:712-4 (Litigation/legis/ethics)
- Juvenile diabetes; see Diabetes mellitus, insulin-dependent**
- K**
- Kinesiography**  
Kinesiographic study of the mandible in young patients with unilateral posterior crossbite (Martín et al). 2000;118:541-8
- L**
- Lasers**  
Effect of argon laser irradiation on shear bond strength of orthodontic brackets: an in vitro study (Talbot et al). 2000;118:274-9
- Latex**  
Calibration of force extension and force degradation characteristics of orthodontic latex elastics (Kanchana and Godfrey). 2000;118:280-7
- Litigation; see Jurisprudence**
- Litigation, legislation, and ethics**  
Litigation, legislation, and ethics. 2000;118:241-2, 359-61, 476-7, 583-5, 712-4
- Localization**  
Radiographic localization of unerupted mandibular anterior teeth (Jacobs). 2000;118:432-8  
Radiographic localization of unerupted teeth: further findings about the vertical tube shift method and other localization techniques (Jacobs). 2000;118:439-47
- M**
- Macroglossia**  
Orthodontic-surgical approach in a case of severe open-bite associated with functional macroglossia (Medeiros et al). 2000;118:347-51 (Case rep.)
- Magnetic resonance imaging**  
A prospective study of Twin-block appliance therapy assessed by magnetic resonance imaging (Chintakanon et al). 2000;118:494-504
- Malocclusion**  
Effect of serial extraction alone on crowding: spontaneous changes in dentition after serial extraction (Yoshihara et al). 2000;118:611-6  
The relationship of the glenoid fossa to the functional occlusal plane (Braun et al). 2000;118:658-61  
Short-term effects of fibrotomy on relapse of anterior crowding (Taner et al). 2000;118:617-23  
Triangular-shaped incisor crowns and crowding (Rhee and Nahm). 2000;118:624-8
- Malocclusion, Angle Class I**  
Treatment of a Class I malocclusion with a carious mandibular incisor and no Bolton discrepancy (Kokich). 2000;118:107-13 (Case rep.)
- Malocclusion, Angle Class II**  
Asymmetric extraction treatment of an Angle Class II Division 2 subdivision left malocclusion with anterior and posterior crossbites (Shelley et al). 2000;118:462-6 (Case rep.)  
Cephalometric variables as predictors of Class II treatment outcome (Kim et al). 2000;118:636-40  
Class II correction in patients treated with Class II elastics and with fixed functional appliances: a comparative study (Nelson et al). 2000;118:142-9  
Evaluation of the Jones jig appliance for distal molar movement (Brickman et al). 2000;118:526-34  
Posttreatment changes after successful correction of Class II malocclusions with the Twin Block appliance (Mills and McCulloch). 2000;118:24-33  
A prospective study of Twin-block appliance therapy assessed by magnetic resonance imaging (Chintakanon et al). 2000;118:494-504  
Relapse in Angle Class II Division 1 malocclusion treated by tandem mechanics without extraction of permanent teeth: a retrospective analysis (Yavari et al). 2000;118:34-42  
Sagittal and vertical changes after treatment of Class II Division 1 malocclusion according to the Cetlin method (Ferro et al). 2000;118:150-8



- Treatment of a Class II Division 1 malocclusion (Vaught). 2000;118:229-33 (Case rep.)
- Treatment of a Class II Division 1 malocclusion with a high mandibular angle (Vaught). 2000;118:341-6 (Case rep.)
- Treatment of a patient with a Class II malocclusion, impacted cuspid, and severe malalignment (Cowan). 2000;118:693-8 (Case rep.)
- Treatment timing for Twin-block therapy (Baccetti et al). 2000;118:159-70
- Malocclusion, Angle Class III**
- Class III nonsurgical treatment: a case report (Bilodeau). 2000;118:560-5 (Case rep.)
- Evaluation of the modified maxillary protractor applied to Class III malocclusion with retruded maxilla in early mixed dentition (Kajiyama et al). 2000;118:549-59
- Mandible**
- Long-term skeletal and dental effects of mandibular symphyseal distraction osteogenesis (Del Santo et al). 2000;118:485-93
- Longitudinal assessment of vertical and sagittal control in the mandibular arch by the mandibular fixed lingual arch (Villalobos et al). 2000;118:366-70
- Mandibular growth as related to cervical vertebral maturation and body height (Franchi et al). 2000;118:335-40
- Preparing a hemimandibulectomy patient for delayed reconstructive surgery (Pereda et al). 2000;118:572-7 (Case rep.)
- Radiographic localization of unerupted mandibular anterior teeth (Jacobs). 2000;118:432-8
- Short-term effects of fibrotomy on relapse of anterior crowding (Taner et al). 2000;118:617-23
- Skeletal and dental changes with nonextraction Begg mechanotherapy in patients with Class II Division 1 malocclusion (Reddy et al). 2000;118:641-8
- Treatment of a Class I malocclusion with a carious mandibular incisor and no Bolton discrepancy (Kokich). 2000;118:107-13 (Case rep.)
- Mandibular condyle**
- An adult case of TMJ osteoarthritis treated with splint therapy and the subsequent orthodontic occlusal reconstruction: adaptive change of the condyle during the treatment (Tanaka et al). 2000;118:566-71 (Case rep.)
- Masticatory muscles**
- Effect of unilateral posterior crossbite on the electromyographic activity of human masticatory muscles (Alarcón et al). 2000;118:328-34
- Effects of spring-loaded posterior bite-block appliance on masticatory muscles (Akkaya et al). 2000;118:179-83
- Masticatory muscle activity in children and adults with different facial types (Ueda et al). 2000;118:63-8
- Maxilla**
- Adequacy of maxillary dental arch width in patients with palatally displaced canines (Langberg and Peck). 2000;118:220-3
- Autotransplantation of premolars to replace maxillary incisors: a comparison with natural incisors (Czochrowska et al). 2000;118:592-600
- Effective treatment plan for maxillary protraction: is the bone age useful to determine the treatment plan? (Suda et al). 2000;118:55-62
- Esthetic management of an unerupted maxillary central incisor with a closed eruption technique (Kajiyama and Kai). 2000;118:224-8 (Case rep.)
- Evaluation of the Jones jig appliance for distal molar movement (Brickman et al). 2000;118:526-34
- Evaluation of the modified maxillary protractor applied to Class III malocclusion with retruded maxilla in early mixed dentition (Kajiyama et al). 2000;118:549-59
- Orthodontic tooth movement after extraction of previously autotransplanted maxillary canines and ridge augmentation (Collett and Fletcher). 2000;118:699-704
- Short-term effects of fibrotomy on relapse of anterior crowding (Taner et al). 2000;118:617-23
- Treatment and posttreatment craniofacial changes after rapid maxillary expansion and facemask therapy (Baccetti et al). 2000;118:404-13
- Treatment of a patient with a Class II malocclusion, impacted cuspid, and severe malalignment (Cowan). 2000;118:693-8 (Case rep.)
- Mechanotherapy**
- Skeletal and dental changes with nonextraction Begg mechanotherapy in patients with Class II Division 1 malocclusion (Reddy et al). 2000;118:641-8
- Mental retardation**
- Orthodontics and the population with special needs (Waldman et al). 2000;118:14-7
- Metalloproteinases**
- Nonsteroidal anti-inflammatory drugs in orthodontic tooth movement: metalloproteinase activity and collagen synthesis by endothelial cells (Kyrkanides et al). 2000;118:203-9
- Methotrexate**
- Effect of methotrexate on the temporomandibular joint and facial morphology in juvenile rheumatoid arthritis patients (Ince et al). 2000;118:75-83
- Microsoft PowerPoint; see Software**
- Molar**
- Evaluation of the Jones jig appliance for distal molar movement (Brickman et al). 2000;118:526-34
- Longitudinal assessment of vertical and sagittal control in the mandibular arch by the mandibular fixed lingual arch (Villalobos et al). 2000;118:366-70
- A role for TNF in bone resorption of deciduous molars in human beings (Ureles et al). 2000;118:196-202
- Tooth anomalies associated with failure of eruption of first and second permanent molars (Baccetti). 2000;118:608-10
- Muscle**
- Effects of Twin-block therapy on protrusive muscle functions (Chintakanon et al). 2000;118:392-6
- N**
- Nasal obstruction**
- Nasal impairment in prepubertal children (Crouse et al). 2000;118:69-74
- Nickel**
- Nickel-titanium alloys: stress-related temperature transitional range (Santoro and Beshers). 2000;118:685-92
- Nonsteroidal anti-inflammatory drugs; see Anti-inflammatory agents, non-steroidal**
- O**
- Obituaries**
- J. Edward Gilda, DDS, MS (Rosenblum). 2000;118:121 (In memoriam)
- Obstructive sleep apnea; see Sleep apnea syndromes**
- Occlusal splints**
- An adult case of TMJ osteoarthritis treated with splint therapy and the subsequent orthodontic occlusal reconstruction: adaptive change of the condyle during the treatment (Tanaka et al). 2000;118:566-71 (Case rep.)
- Occlusion**
- Relapse in Angle Class II Division 1 malocclusion treated by tandem mechanics without extraction of permanent teeth: a retrospective analysis (Yavari et al). 2000;118:34-42
- The relationship of 2 professional occlusal indexes with patients' perceptions of aesthetics, function, speech, and orthodontic treatment used (Yeh et al). 2000;118:421-8
- The relationship of the glenoid fossa to the functional occlusal plane (Braun et al). 2000;118:658-61
- Treatment of a patient with a Class II malocclusion, impacted cuspid, and severe malalignment (Cowan). 2000;118:693-8 (Case rep.)
- Office visits**
- Orthodontic dental visits during 1987 and 1996 (Manski et al). 2000;118:10-3
- Openbite**
- Orthodontic-surgical approach in a case of severe open-bite associated with functional macroglossia (Medeiros et al). 2000;118:347-51 (Case rep.)
- Stability of anterior openbite correction with multiloop edgewise archwire therapy: a cephalometric follow-up study (Kim et al). 2000;118:43-54
- Oral habits**
- Oral perception in tongue thrust and other oral habits (Dahan et al). 2000;118:385-91
- Ortho bytes**
- Digital image processing: how to retouch your clinical photographs (Halazonetis and Abelson). 2000;118:469-75
- Managing digital images (Swartz). 2000;118:354-8
- Parameters for digital imaging: part I (Abelson). 2000;118:580-2
- Parameters for digital imaging: part II (Abelson). 2000;118:707-11

Powering up your PowerPoint presentations (Regenitter). 2000;118:116-20

#### Orthodontic appliances

- Class II correction in patients treated with Class II elastics and with fixed functional appliances: a comparative study (Nelson et al). 2000;118:142-9
- Effective treatment plan for maxillary protraction: is the bone age useful to determine the treatment plan? (Suda et al). 2000;118:55-62
- Effects of spring-loaded posterior bite-block appliance on masticatory muscles (Akkaya et al). 2000;118:179-83
- Effects of Twin-block therapy on protrusive muscle functions (Chintakanon et al). 2000;118:392-6
- Evaluation of the Jones jig appliance for distal molar movement (Brickman et al). 2000;118:526-34
- Evaluation of the modified maxillary protractor applied to Class III malocclusion with retruded maxilla in early mixed dentition (Kajiyama et al). 2000;118:549-59
- Posttreatment changes after successful correction of Class II malocclusions with the Twin Block appliance (Mills and McCulloch). 2000;118:24-33
- A prospective study of Twin-block appliance therapy assessed by magnetic resonance imaging (Chintakanon et al). 2000;118:494-504
- A radiographic comparison of apical root resorption after orthodontic treatment with 3 different fixed appliance techniques (Janson et al). 2000;118:262-73
- On "ratings of facial attractiveness after functional appliance treatment" (Giddon). 2000;118:377 (Commentary)
- Ratings of profile attractiveness after functional appliance treatment (O'Neill et al). 2000;118:371-6
- Retrospective study of orthodontic bonding without liquid resin (Tang et al). 2000;118:300-6
- Treatment timing for Twin-block therapy (Baccetti et al). 2000;118:159-70

#### Orthodontic brackets

- Effect of argon laser irradiation on shear bond strength of orthodontic brackets: an in vitro study (Talbot et al). 2000;118:274-9
- Effects of two adhesion boosters on the shear bond strength of new and rebonded orthodontic brackets (Chung et al). 2000;118:295-9
- Evaluation of titanium brackets for orthodontic treatment: part II—the active configuration (Kusy and O'Grady). 2000;118:675-84
- The friction and wear patterns of orthodontic brackets and archwires in the dry state (Michelberger et al). 2000;118:662-74
- A new multipurpose dental adhesive for orthodontic use: an in vitro bond-strength study (Harari et al). 2000;118:307-10

#### Orthodontic relapse

- Short-term effects of fiberotomy on relapse of anterior crowding (Taner et al). 2000;118:617-23

#### Orthodontic wires

- Endosseous titanium implants as anchors for mesiodistal tooth movement in the beagle dog (Saito et al). 2000;118:601-7
- An evaluation of preoperative ibuprofen for treatment of pain associated with orthodontic separator placement (Law et al). 2000;118:629-35
- Evaluation of titanium brackets for orthodontic treatment: part II—the active configuration (Kusy and O'Grady). 2000;118:675-84
- The friction and wear patterns of orthodontic brackets and archwires in the dry state (Michelberger et al). 2000;118:662-74
- Nickel-titanium alloys: stress-related temperature transitional range (Santoro and Beshers). 2000;118:685-92
- Stability of anterior openbite correction with multiloop edgewise archwire therapy: a cephalometric follow-up study (Kim et al). 2000;118:43-54
- Stability of bilateral sagittal split ramus osteotomy: rigid fixation versus transosseous wiring (Berger et al). 2000;118:397-403
- Tying twin brackets (Faber). 2000;118:101-6 (Clin. corner)

#### Orthognathic surgery

- Distraction osteogenesis versus orthognathic surgery (Van Sickle). 2000;118:482-4 (Commentary)
- Patients' own reasons and patient-perceived recommendations for orthognathic surgery (Kiyak). 2000;118:141 (Commentary)
- Patients' own reasons and patient-perceived recommendations for orthognathic surgery (Rivera et al). 2000;118:134-40

#### Osteoarthritis

- An adult case of TMJ osteoarthritis treated with splint therapy and the subsequent orthodontic occlusal reconstruction: adaptive change of the condyle during the treatment (Tanaka et al). 2000;118:566-71 (Case rep.)

#### Osteogenesis

- Distraction osteogenesis versus orthognathic surgery (Van Sickle). 2000;118:482-4 (Commentary)
- Long-term skeletal and dental effects of mandibular symphyseal distraction osteogenesis (Del Santo et al). 2000;118:485-93

#### Osteotomy

- Stability of bilateral sagittal split ramus osteotomy: rigid fixation versus transosseous wiring (Berger et al). 2000;118:397-403

#### Outcome assessment

- Cephalometric appraisal of posttreatment vertical changes in adult orthodontic patients (Ahn and Schneider). 2000;118:378-84
- Cephalometric variables as predictors of Class II treatment outcome (Kim et al). 2000;118:636-40
- Effects of orthodontic therapy on the facial profile in long and short vertical facial patterns (Lai et al). 2000;118:505-13
- Evaluation of treatment and posttreatment changes of protraction facemask treatment using PAR index (Ngan and Yiu). 2000;118:414-20
- Ideal treatment results require more than good luck (Turpin). 2000;118:125 (Editorial)
- The relationship of 2 professional occlusal indexes with patients' perceptions of aesthetics, function, speech, and orthodontic treatment used (Yeh et al). 2000;118:421-8
- Treatment and posttreatment craniofacial changes after rapid maxillary expansion and facemask therapy (Baccetti et al). 2000;118:404-13

#### P

#### Pain

- An evaluation of preoperative ibuprofen for treatment of pain associated with orthodontic separator placement (Law et al). 2000;118:629-35

#### Palatal expansion technique

- The biomechanics of rapid maxillary sutural expansion (Braun et al). 2000;118:257-61
- Long-term skeletal and dental effects of mandibular symphyseal distraction osteogenesis (Del Santo et al). 2000;118:485-93
- Treatment and posttreatment craniofacial changes after rapid maxillary expansion and facemask therapy (Baccetti et al). 2000;118:404-13

#### Palate

- Adequacy of maxillary dental arch width in patients with palatally displaced canines (Langberg and Peck). 2000;118:220-3

#### Paradental tissue; see Periodontium

#### Patient satisfaction

- The perception of optimal profile in African Americans versus white Americans as assessed by orthodontists and the lay public (Hall et al). 2000;118:514-25
- The relationship of 2 professional occlusal indexes with patients' perceptions of aesthetics, function, speech, and orthodontic treatment used (Yeh et al). 2000;118:421-8
- What patients want, and what they need (Turpin). 2000;118:365 (Editorial)

#### Peer Assessment Rating index

- Evaluation of treatment and posttreatment changes of protraction facemask treatment using PAR index (Ngan and Yiu). 2000;118:414-20

#### Periodontium

- Immunohistochemical localization of epidermal growth factor in cat paradental tissues during tooth movement (Guajardo et al). 2000;118:210-9

#### PowerPoint; see Software

#### Practice management

- Defining characteristics of financially successful orthodontists (Coats et al). 2000;118:18-23 (Special article)

#### Premedication

- An evaluation of preoperative ibuprofen for treatment of pain associated with orthodontic separator placement (Law et al). 2000;118:629-35

#### Premolar

- Autotransplantation of premolars to replace maxillary incisors: a comparison with natural incisors (Czochrowska et al). 2000;118:592-600
- Evaluation of the Jones jig appliance for distal molar movement (Brickman et al). 2000;118:526-34
- Tooth anomalies associated with failure of eruption of first and second permanent molars (Baccetti). 2000;118:608-10

#### Preoperative care

- An evaluation of preoperative ibuprofen for treatment of pain associated with orthodontic separator placement (Law et al). 2000;118:629-35

- Preparing a hemimandibulectomy patient for delayed reconstructive surgery (Pereda et al). 2000;118:572-7 (Case rep.)
- Profile**  
Effects of orthodontic therapy on the facial profile in long and short vertical facial patterns (Lai et al). 2000;118:505-13  
The perception of optimal profile in African Americans versus white Americans as assessed by orthodontists and the lay public (Hall et al). 2000;118:514-25
- Protraction**  
Evaluation of treatment and posttreatment changes of protraction facemask treatment using PAR index (Ngan and Yiu). 2000;118:414-20
- Protrusion**  
Effects of Twin-block therapy on protrusive muscle functions (Chintakanon et al). 2000;118:392-6
- R**
- Radiographic image enhancement**  
Digital image processing: how to retouch your clinical photographs (Halazonetis and Abelson). 2000;118:469-75  
Parameters for digital imaging: part 1 (Abelson). 2000;118:580-2  
Parameters for digital imaging: part 2 (Abelson). 2000;118:707-11
- Radiography**  
A radiographic comparison of apical root resorption after orthodontic treatment with 3 different fixed appliance techniques (Janson et al). 2000;118:262-73  
Radiographic localization of unerupted mandibular anterior teeth (Jacobs). 2000;118:432-8  
Radiographic localization of unerupted teeth: further findings about the vertical tube shift method and other localization techniques (Jacobs). 2000;118:439-47
- Reconstruction**  
An adult case of TMJ osteoarthritis treated with splint therapy and the subsequent orthodontic occlusal reconstruction: adaptive change of the condyle during the treatment (Tanaka et al). 2000;118:566-71 (Case rep.)  
Preparing a hemimandibulectomy patient for delayed reconstructive surgery (Pereda et al). 2000;118:572-7 (Case rep.)
- Records**  
Dental records as evidence (Jerrold). 2000;118:241-2 (Litigation/legis/ethics)
- Recurrence**  
Relapse in Angle Class II Division 1 malocclusion treated by tandem mechanics without extraction of permanent teeth: a retrospective analysis (Yavari et al). 2000;118:34-42  
Short-term effects of fibrotomy on relapse of anterior crowding (Taner et al). 2000;118:617-23
- Referral and consultation**  
Second opinions, and becoming a care manager (Grubb). 2000;118:126-33 (Case rep.)
- Relapse; see Recurrence**
- Resins**  
Effect of altering the type of enamel conditioner on the shear bond strength of a resin-reinforced glass ionomer adhesive (Bishara et al). 2000;118:288-94  
Effect of changing enamel conditioner concentration on the shear bond strength of a resin-modified glass ionomer adhesive (Bishara et al). 2000;118:311-6  
Retrospective study of orthodontic bonding without liquid resin (Tang et al). 2000;118:300-6
- Retention**  
Retrospective study of orthodontic bonding without liquid resin (Tang et al). 2000;118:300-6
- Risk management**  
Dental records as evidence (Jerrold). 2000;118:241-2 (Litigation/legis/ethics)  
Perspectives on the dental-legal mindset (Jerrold). 2000;118:361 (Commentary)  
Perspectives on the dental-legal mindset (Meister et al). 2000;118:359-61 (Litigation/legis/ethics)
- Root resorption**  
A radiographic comparison of apical root resorption after orthodontic

- treatment with 3 different fixed appliance techniques (Janson et al). 2000;118:262-73
- Royal London Space Planning**  
The Royal London Space Planning: an integration of space analysis and treatment planning. part I: assessing the space required to meet treatment objectives (Kirschen et al). 2000;118:448-55  
The Royal London Space Planning: an integration of space analysis and treatment planning. part II: the effect of other treatment procedures on space (Kirschen et al). 2000;118:456-61
- Rubber**  
Calibration of force extension and force degradation characteristics of orthodontic latex elastics (Kanchana and Godfrey). 2000;118:280-7

S

**Second opinion; see Referral and consultation**

**Serial extraction**

- Effect of serial extraction alone on crowding: spontaneous changes in dentition after serial extraction (Yoshihara et al). 2000;118:611-6

**Skeletal dysplasia; see Bone diseases, developmental**

**Sleep apnea syndromes**

- Effects of a mandibular repositioner on obstructive sleep apnea (Liu et al). 2000;118:248-56

**Soft tissue**

- Soft tissue cephalometric norms in Japanese adults (Alcalde et al). 2000;118:84-9

**Software**

- Advanced PowerPoint animation techniques: part II (Halazonetis). 2000;118:236-40  
Digital image processing: how to retouch your clinical photographs (Halazonetis and Abelson). 2000;118:469-75  
Managing digital images (Swartz). 2000;118:354-8  
Powering up your PowerPoint presentations (Regennitter). 2000;118:116-20

**Space analysis**

- The Royal London Space Planning: an integration of space analysis and treatment planning. part I: assessing the space required to meet treatment objectives (Kirschen et al). 2000;118:448-55  
The Royal London Space Planning: an integration of space analysis and treatment planning. part II: the effect of other treatment procedures on space (Kirschen et al). 2000;118:456-61

**Speech**

- The relationship of 2 professional occlusal indexes with patients' perceptions of aesthetics, function, speech, and orthodontic treatment used (Yeh et al). 2000;118:421-8

**Splints**

- An adult case of TMJ osteoarthritis treated with splint therapy and the subsequent orthodontic occlusal reconstruction: adaptive change of the condyle during the treatment (Tanaka et al). 2000;118:566-71 (Case rep.)

**Stainless steel**

- Evaluation of titanium brackets for orthodontic treatment: part II—the active configuration (Kusy and O'Grady). 2000;118:675-84

**Stereognosis**

- Oral perception in tongue thrust and other oral habits (Dahan et al). 2000;118:385-91

**Stress, mechanical**

- Nickel-titanium alloys: stress-related temperature transitional range (Santoro and Beshers). 2000;118:685-92

**Sutures**

- The biomechanics of rapid maxillary sutural expansion (Braun et al). 2000;118:257-61

T

**Temperature**

- Nickel-titanium alloys: stress-related temperature transitional range (Santoro and Beshers). 2000;118:685-92

**Temporomandibular joint**

- An adult case of TMJ osteoarthritis treated with splint therapy and the subsequent orthodontic occlusal reconstruction: adaptive change of the condyle during the treatment (Tanaka et al). 2000;118:566-71 (Case rep.)  
Effect of methotrexate on the temporomandibular joint and facial morphology in juvenile rheumatoid arthritis patients (Ince et al). 2000;118:75-83

- A prospective study of Twin-block appliance therapy assessed by magnetic resonance imaging (Chintakanon et al). 2000;118:494-504
- Time**  
Long-term skeletal and dental effects of mandibular symphyseal distraction osteogenesis (Del Santo et al). 2000;118:485-93
- Titanium**  
Endosseous titanium implants as anchors for mesiodistal tooth movement in the beagle dog (Saito et al). 2000;118:601-7  
Evaluation of titanium brackets for orthodontic treatment: part II—the active configuration (Kusy and O'Grady). 2000;118:675-84  
Nickel-titanium alloys: stress-related temperature transitional range (Santoro and Beshers). 2000;118:685-92
- TNF; see Tumor necrosis factor**
- Tongue**  
Oral perception in tongue thrust and other oral habits (Dahan et al). 2000;118:385-91
- Tooth, deciduous**  
A role for TNF in bone resorption of deciduous molars in human beings (Ureles et al). 2000;118:196-202
- Tooth, impacted**  
Treatment of a patient with a Class II malocclusion, impacted cuspid, and severe malalignment (Cowan). 2000;118:693-8 (Case rep.)
- Tooth, unerupted**  
Esthetic management of an unerupted maxillary central incisor with a closed eruption technique (Kajiyama and Kai). 2000;118:224-8 (Case rep.)  
Radiographic localization of unerupted teeth: further findings about the vertical tube shift method and other localization techniques (Jacobs). 2000;118:439-47
- Tooth abnormalities**  
Tooth anomalies associated with failure of eruption of first and second permanent molars (Baccetti). 2000;118:608-10
- Tooth crowding; see Malocclusion**
- Tooth eruption**  
Tooth anomalies associated with failure of eruption of first and second permanent molars (Baccetti). 2000;118:608-10
- Tooth extraction**  
Asymmetric extraction treatment of an Angle Class II Division 2 subdivision left malocclusion with anterior and posterior crossbites (Shelley et al). 2000;118:462-6 (Case rep.)  
Effect of serial extraction alone on crowding: spontaneous changes in dentition after serial extraction (Yoshihara et al). 2000;118:611-6  
Orthodontic tooth movement after extraction of previously autotransplanted maxillary canines and ridge augmentation (Collett and Fletcher). 2000;118:699-704
- Tooth movement**  
Center of resistance of anterior arch segment (Matsui et al). 2000;118:171-8  
Endosseous titanium implants as anchors for mesiodistal tooth movement in the beagle dog (Saito et al). 2000;118:601-7  
Evaluation of the Jones jig appliance for distal molar movement (Brickman et al). 2000;118:526-34  
Immunohistochemical localization of epidermal growth factor in cat parodontal tissues during tooth movement (Guajardo et al). 2000;118:210-9  
Kinesiographic study of the mandible in young patients with unilateral posterior crossbite (Martin et al). 2000;118:541-8  
Nonsteroidal anti-inflammatory drugs in orthodontic tooth movement: metalloproteinase activity and collagen synthesis by endothelial cells (Kyrkanides et al). 2000;118:203-9  
Orthodontic tooth movement after extraction of previously autotransplanted maxillary canines and ridge augmentation (Collett and Fletcher). 2000;118:699-704
- Tying twin brackets (Faber). 2000;118:101-6 (Clin. corner)
- Transplantation, autologous**  
Autotransplantation of premolars to replace maxillary incisors: a comparison with natural incisors (Czochrowska et al). 2000;118:592-600  
Orthodontic tooth movement after extraction of previously autotransplanted maxillary canines and ridge augmentation (Collett and Fletcher). 2000;118:699-704
- Treatment outcome**  
Cephalometric appraisal of posttreatment vertical changes in adult orthodontic patients (Ahn and Schneider). 2000;118:378-84  
Cephalometric variables as predictors of Class II treatment outcome (Kim et al). 2000;118:636-40  
Effects of orthodontic therapy on the facial profile in long and short vertical facial patterns (Lai et al). 2000;118:505-13  
Evaluation of treatment and posttreatment changes of protraction facemask treatment using PAR index (Ngan and Yiu). 2000;118:414-20  
Ideal treatment results require more than good luck (Turpin). 2000;118:125 (Editorial)  
Posttreatment changes after successful correction of Class II malocclusions with the Twin Block appliance (Mills and McCulloch). 2000;118:24-33  
The relationship of 2 professional occlusal indexes with patients' perceptions of aesthetics, function, speech, and orthodontic treatment used (Yeh et al). 2000;118:421-8  
Treatment and posttreatment craniofacial changes after rapid maxillary expansion and facemask therapy (Baccetti et al). 2000;118:404-13
- Treatment planning**  
Effective treatment plan for maxillary protraction: is the bone age useful to determine the treatment plan? (Suda et al). 2000;118:55-62  
The Royal London Space Planning: an integration of space analysis and treatment planning. part I: assessing the space required to meet treatment objectives (Kirschen et al). 2000;118:448-55  
The Royal London Space Planning: an integration of space analysis and treatment planning. part II: the effect of other treatment procedures on space (Kirschen et al). 2000;118:456-61
- Tumor necrosis factor**  
A role for TNF in bone resorption of deciduous molars in human beings (Ureles et al). 2000;118:196-202
- Twin block appliance; see Orthodontic appliances**

## V

## Vertical dimension

- Cephalometric appraisal of posttreatment vertical changes in adult orthodontic patients (Ahn and Schneider). 2000;118:378-84  
Longitudinal assessment of vertical and sagittal control in the mandibular arch by the mandibular fixed lingual arch (Villalobos et al). 2000;118:366-70  
Sagittal and vertical changes after treatment of Class II Division 1 malocclusion according to the Cetlin method (Ferro et al). 2000;118:150-8

## Vertical tube shift method

- Radiographic localization of unerupted teeth: further findings about the vertical tube shift method and other localization techniques (Jacobs). 2000;118:439-47

## W

## Wear patterns

- The friction and wear patterns of orthodontic brackets and archwires in the dry state (Michelberger et al). 2000;118:662-74

## World Wide Web

- Quality evaluation of orthodontic information on the World Wide Web (Jiang). 2000;118:4-9



